

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	23	(stack near20 clamp near20 spring) and (x near2 Y)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 17:34
L10	744	(stack) and (x near2 Y) and (arm or holder) and (capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 18:19
L11	27	((stack) near20 (capacitor)) and (x near2 Y) and (arm or holder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 18:10
L12	123	(stack) and (robot near2 arm) and (capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 18:19
S91	713	capacitor and (stack) and "29"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:34
S92	0	((((100/266) or (100/267) or (100/268)).CCLS.) and ((capacitor near10 stack) or (green near10 sheet)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S93	0	((((100/266) or (100/267) or (100/268)).CCLS.) and (capacitor near10 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S94	0	((((100/266) or (100/267) or (100/268)).CCLS.) and (capacitor and stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S95	0	((((100/266) or (100/267) or (100/268)).CCLS.) and (ceramic and stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32

S96	1884	((100/266) or (100/267) or (100/268) or (100/265)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S97	0	((100/266) or (100/267) or (100/268) or (100/265)).CCLS.) and ((capacitor near10 stack) or (green near10 sheet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S98	2303	(29/25.03).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:33
S99	55	pacemakers:asn. and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:34
S100	1839	magazine and (stack) and press and spring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:34
S101	0	magazine and (stack) and press and spring and (vision near4 alignment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S102	13	("4,553,304") or ("4,683,516") or ("5,522,851") or ("5,628,801") or ("5,640,756") or ("5,814,082") or ("5,908,151") or ("5,983,472") or ("6,006,133") or ("6,030,480") or ("6,110,321") or ("6,402,793") or ("6,413,283") or ("6,509,588")). PN.	USPAT; USOCR	OR	OFF	2005/05/28 13:32
S103	50	capacitor and (stack) and "228"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S104	16	capacitor and (stack) and "100"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32

S10 5	2	((100/266) or (100/267) or (100/268)).CCLS.) and (chip and stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S10 6	3	((100/266) or (100/267) or (100/268) or (100/265)).CCLS.) and (chip and stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S10 7	18	(("4,553,304") or ("4,683,516") or ("5,522,851") or ("5,628,801") or ("5,640,756") or ("5,814,082") or ("5,908,151") or ("5,983,472") or ("6,006,133") or ("6,030,480") or ("6,110,321") or ("6,402,793") or ("6,413,283") or ("6,509,588") or ("6141205") or ("6522525") or ("20010020319") or ("20040127952")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/28 13:32
S10 8	60	(fixture near20 spring) and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S10 9	92	medtronic.asn. and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 0	4	magazine and (stack) and press and spring and (vision near4 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 1	12	magazine and (stack) and press and spring and (alignment near4 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 2	119	(156/564).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32

S11 3	146	(156/565).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S11 4	120	S98 and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 5	229	(156/379).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S11 6	207	(156/563).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S11 7	287	(156/559).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S11 8	325	capacitor and (stack) and "156"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 9	345	(156/362).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 0	357	(100/45).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 1	457	capacitor and (stack) and "29"/\$. ccls. and (layer or layers) and (press or pressure or pressing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32

S12 2	419	(156/358).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 3	421	(156/363).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 4	471	(156/364).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 5	417	magazine and (stack) and "156"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S12 6	788	(156/378).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 7	1200	((100/266) or (100/267) or (100/268)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 8	52	capacitor and (stack) and (cold near5 weld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S12 9	9	("2640605" "4657465" "4765791" "5228373" "5437534" "5868546" "6015257" "6102651").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/28 13:32
S13 0	417	(414/789.9).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32

S13 1	37	"414"/\$.ccls. and stack and spring and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 2	359	(414/790).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:34
S13 3	119	(414/790.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S13 4	12	"414"/\$.ccls. and stack and fixture and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 5	59	magazine and (stack near5 robot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 6	14	capacitor and (stack) and (placement near5 robot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 7	15	(electrode near3 layer) and (stack) and (placement near5 robot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 8	2	("6233135").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S13 9	2	capacitor and (stack) and "29"/\$. ccls. and (photosensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:29

S14 0	337	capacitor and (stack) and (photosensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:34
S14 1	54	capacitor and (stack) and (photoelectric near3 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S14 2	98	capacitor and (stack) and sensor and "156"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S14 3	1125	fixture and clamp and spring and (stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:29
S14 4	0	fixture near20 clamp near20 spring near20 (stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:30
S14 5	414	fixture near20 clamp near20 spring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:30
S14 6	16	(fixture near20 clamp near20 spring) and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:36
S14 7	377	(stack near20 clamp near20 spring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:36
S14 8	14	(stack near20 clamp near20 spring) and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:50
S14 9	6	("2535367" "2732498" "3202890").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/28 14:47
S15 0	8	("3701932").URPN.	USPAT	OR	ON	2005/05/28 14:47

S15 1	114	(stack near20 clamp near20 spring) and sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 17:12
----------	-----	---	---	----	----	------------------